

Avalon Gris 60X120R



PRICE / M2 (VAT INCLUDED)

CHARACTERISTICS

- Finish: Natural
- Utilization groups: 4 - For high traffic
- Boxes / Pallet: 30
- Rectified sides
- Kg / Box: 35.82
- Style: Stones
- Kg / Pallet: 1074.6
- Degree of detonation: V3 (Medium)
- Material: Glazed porcelain tiles
- Pieces / Box: 3
- M2 / Box: 2.16
- M2 / Pallet: 64.8



Installation
Installation: Coating



Installation
Installation: Pavement



Critical angle of slip in wet areas when walking barefoot (DIN 51097 - Ramp)
Critical angle of slip in wet areas when walking barefoot (DIN 51097 - Ramp):

Glazed Porcelain

Glazed Porcelain
Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.



mm



Destonified



Critical angle of slip (DIN 51130 - Ramp)

Critical sliding angle (DIN 51130 - Ramp): R-10



Slip resistance (CTE ENV 12633 - Pendulum)

Slip resistance (CTE ENV 12633 - Pendulum): Clase 2



Recycling

Recycled:

#technology_text

Glazed Porcelain**Glazed Porcelain**

Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.