

DOWNTOWN

Downtown Blanco 30X60R

PRICE / M2 (VAT INCLUDED)



CHARACTERISTICS

- Finish: Natural
- Utilization groups: 4 - For high traffic
- Boxes / Pallet: 48
- Rectified sides
- Kg / Box: 29.3
- Kg / Pallet: 1406.4
- Degree of detonation: V3 (Medium)
- Material: Full body porcelain tiles
- Pieces / Box: 10
- M2 / Box: 1.8
- M2 / Pallet: 86.4



Installation
Installation: Coating



Installation
Installation: Pavement



Critical angle of slip in wet areas when walking barefoot (DIN 51097 - Ramp)
Critical angle of slip in wet areas when walking barefoot (DIN 51097 - Ramp):

White Body

Colored Porcelain
Highly resistant tiles for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.



mm



Destonified



Critical angle of slip (DIN 51130 - Ramp)
Critical sliding angle (DIN 51130 - Ramp): R-9



Slip resistance (CTE ENV 12633 - Pendulum)
Slip resistance (CTE ENV 12633 - Pendulum): Clase 1



Recycling
Recycled:

Downtown

With Downtown, large surfaces are transformed places of gathering, exchange and interaction. Cements that create spaces with a clean and rigorous look, that enriches environments with aesthetic austerity and provide a kaleidoscope of technical functions. A wide range of formats, surfaces (natural, lapato and non-slip R11), and mosaics make the Downtown series even richer. Downtown, available in the 60x60 and 30x60 format, together with its complementary pieces.



MANUALS AND RESOURCES



[Product technical certificate](#)

#technology_text

White Body

Colored Porcelain

Highly resistant tiles for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.