

CHEVRON

Chevron Borneo Gris

PRICE / M2 (VAT INCLUDED)



CHARACTERISTICS

- Finish: Satin
- Utilization groups: 4 - For high traffic
- Boxes / Pallet: 120
- Kg / Box: 7.29
- Kg / Pallet: 874.8
- Degree of detonation: V3 (Medium)
- Pieces / Box: 10
- M2 / Box: 0.37
- M2 / Pallet: 44.88



**Installation**  
Installation: Coating



**Installation**  
Installation: Pavement



**Critical angle of slip in wet areas when walking barefoot (DIN 51097 - Ramp)**  
Critical angle of slip in wet areas when walking barefoot (DIN 51097 - Ramp):

**Glazed Porcelain**

**Glazed Porcelain**  
Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.



mm



**Destonified**



**Critical angle of slip (DIN 51130 - Ramp)**  
Critical sliding angle (DIN 51130 - Ramp): R-10



**Slip resistance (CTE ENV 12633 - Pendulum)**  
Slip resistance (CTE ENV 12633 - Pendulum): Clase 1



**Recycling**

Recycled:

## Chevron

Woodwork. Can you imagine the classic geometries of parquet flooring with the performance of ceramics? The Chevron range makes it possible in a porcelain tile that replicates the characteristic geometric arrows of wooden floors. With as many installation possibilities as you can imagine, Chevron enables the combination of right and left arrows to create original sequences for domestic or commercial projects. As a tribute to parquet flooring, the range is presented in Fresno and Gris colors, recreating one of them most representative finishes of traditional marquetry. Range available in 8,5x44 cm.



#technology\_text

**Glazed Porcelain****Glazed Porcelain**

Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.