# Roca



CHARACTERISTICS

Finish: Mate Utilization groups: 4 - For high traffic Boxes / Pallet: 84 Kg / Box: 13.119 Kg / Pallet: 1102 Material: Glazed porcelain tiles Pieces / Box: 16 M2 / Box: .64 M2 / Pallet: 53.76



Installation Installation: Coating



mm



Installation Installation: Pavement



Critical angle of slip (DIN 51130 -Ramp) Critical sliding angle (DIN 51130 - Ramp): R-10



ART

Art Multicolor 20X20

PRICE / M2 (VAT INCLUDED)

Critical angle of slip in wet areas when walking barefoot (DIN 51097 -Ramp)

Critical angle of slip in wet areas when walking barefoot (DIN 51097 - Ramp):



Slip resistance (CTE ENV 12633 -Pendulum) Slip resistance (CTE ENV 12633 -Pendulum): Clase 1

# **Glazed Porcelain**

### Glazed Porcelain

Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.



Recycling Recycled:

# Art

The full personality of the traditional mosaics with the performance of high quality ceramics. Art shapes places that move easily between modernity and a vintage style. Collection available in 20x20 cm.



### MANUALS AND RESOURCES



Product technical certificate

#technology\_text

### **Glazed** Porcelain

## **Glazed Porcelain**

Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.