



HANGAR

LM Hangar Cement MT

PRICE / M2 (VAT INCLUDED)

CHARACTERISTICS

- Finish: Natural
- Boxes / Pallet: 32
- Rectified sides
- Kg / Box: 48.31
- Kg / Pallet: 1545.95
- Degree of detonation: V3 (Medium)
- Pieces / Box: 2
- M2 / Box: 2.88
- M2 / Pallet: 92.16



Installation
Installation: Coating



Installation
Installation: Pavement

White Body



Polished Porcelain
Polished porcelain rectified tiles suitable for areas such as kitchens and rooms, offices and halls.

mm



Critical angle of slip (DIN 51130 - Ramp)
Critical sliding angle (DIN 51130 - Ramp): R-9



Slip resistance (CTE ENV 12633 - Pendulum)
Slip resistance (CTE ENV 12633 - Pendulum): Clase 1



Recycling
Recycled:

Hangar

Contemporary tradition. When the concept takes hold any ornaments are superfluous. Subtle colors and sober forms for a floor tile with an industrial style, especially suited for highly transited and contract areas.



MANUALS AND RESOURCES



[Product technical certificate](#)

#technology_text

White Body**Polished Porcelain**

Polished porcelain rectified tiles suitable for areas such as kitchens and rooms, offices and halls.