

INDIANA

Indiana Nocce 19.5X120R

PRICE / M2 (VAT INCLUDED)



CHARACTERISTICS

- Finish: Natural
- Utilization groups: 4 - For high traffic
- Boxes / Pallet: 45
- Rectified sides
- Kg / Box: 31.43
- Place of application: Bathroom|Kitchen|Living|Public spaces
- Kg / Pallet: 1414.44
- Degree of detonation: V3 (Medium)
- Material: Full body porcelain tiles
- Pieces / Box: 8
- M2 / Box: 1.87
- M2 / Pallet: 84.15



**Installation**  
Installation: Coating



**Installation**  
Installation: Pavement



**Critical angle of slip in wet areas when walking barefoot (DIN 51097 - Ramp)**  
Critical angle of slip in wet areas when walking barefoot (DIN 51097 - Ramp):

**White Body**

**Colored Porcelain**  
Highly resistant tiles for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.



mm



**Critical angle of slip (DIN 51130 - Ramp)**  
Critical sliding angle (DIN 51130 - Ramp): R-10



**Slip resistance (CTE ENV 12633 - Pendulum)**  
Slip resistance (CTE ENV 12633 - Pendulum): Clase 1



**Recycling**  
Recycled:

## Indiana

Character The utmost beauty and sophistication of wood is passed on to porcelain formats unique in their distinctness and rich colouring. Each Indiana slat joins essential shades in a commitment to a natural finish that reproduces the knots and cracks of original wood, its texture and deep-veined, pronounced chestnut-tones. Its painstaking manufacture feels present in the make-up of its natural satin surface that captures light, just like barely treated wood, rich with the shiny and matte details typical to an organic surface. Indiana competes with real wood in vision and touch and beats it in character.



### MANUALS AND RESOURCES



[PDF](#) [Product technical certificate](#)

#technology\_text

## White Body

## Colored Porcelain

Highly resistant tiles for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.