



BLOCK

Block Triangle Azul 20X20

PRICE / M2 (VAT INCLUDED)

CHARACTERISTICS

Finish: Mate

Utilization groups: 3 - For moderate traffic

Boxes / Pallet: 84

Kg / Box: 13.119

Kg / Pallet: 1102

Degree of detonation: V4 (High)

Material: Glazed porcelain tiles

Pieces / Box: 16

M2 / Box: .64

M2 / Pallet: 53.76



Installation

Installation: Coating



Installation

Installation: Pavement



Critical angle of slip in wet areas when walking barefoot (DIN 51097 - Ramp)

Critical angle of slip in wet areas when walking barefoot (DIN 51097 - Ramp):

Glazed Porcelain

Glazed Porcelain

Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.



mm



Destonified



Critical angle of slip (DIN 51130 - Ramp)

Critical sliding angle (DIN 51130 - Ramp): R-10



Slip resistance (CTE ENV 12633 - Pendulum)

Slip resistance (CTE ENV 12633 - Pendulum): Clase 1



Recycling
Recycled:

Block

Evolving Geometries. Succumb to geometry in small format along with the creativity in combinations that come with Block. Block is multiple and versatile. Its hexagon, rectangle or arrow pieces give life to spaces in an original and very current way. The installation possibilities are expanded through Block with attractive horizontal, vertical or herringbone patterns. The collection also includes glazed porcelain tiles, with monochrome modular units offering different patterns, which give a new aesthetic dimension to the handmade hydraulic mosaic. It generates unique environments where Block's monochrome pieces provide surprising results, whether in their gray palette or in their green or blue range, in gloss or matte.



MANUALS AND RESOURCES



[Product technical certificate](#)

#technology_text

Glazed Porcelain**Glazed Porcelain**

Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.