



DUNA

Duna Grafito 60X60R

PRICE / M2 (VAT INCLUDED)

CHARACTERISTICS

- Finish: Natural
- Utilization groups: 4 - For high traffic
- Boxes / Pallet: 40
- Rectified sides
- Kg / Box: 25.968
- Style: Concretes
- Kg / Pallet: 1038.72
- Degree of detonation: V3 (Medium)
- Material: Glazed porcelain tiles
- Pieces / Box: 4
- M2 / Box: 1.44
- M2 / Pallet: 57.6



Installation
Installation: Coating




Installation
Installation: Pavement

Glazed Porcelain

Glazed Porcelain
Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.



mm



Destonified



Critical angle of slip (DIN 51130 - Ramp)
Critical sliding angle (DIN 51130 - Ramp): R-10



Slip resistance (CTE ENV 12633 - Pendulum)
Slip resistance (CTE ENV 12633 - Pendulum): Clase 1



Recycling
Recycled:

Duna

The Duna collection reflects the strength of serenity. Its beautiful finish provides a feeling of spaciousness to the ensemble, offering visually large, warm and elegant surfaces.



#technology_text

Glazed Porcelain**Glazed Porcelain**

Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.